

Clinical *cases*

Vexoderm
Gel+

CLEAN CUT

Dog, female. 5 years old.

Clean cut by rubbing against a cutting surface.

Previous treatment

None.

Vexoderm Gel+ treatment

Treatment applied by the owner once a day. Covered to prevent licking.



BEGINNING



DAY 1



DAY 2



DAY 4



DAY 6



DAY 8

LEG WOUND

Dog.

Leg wound.

Previous treatment

None.

Vexoderm Gel+ treatment

Application of Vexoderm Gel+ every day.



BEGINNING



DAY 2



DAY 3



DAY 4



DAY 5



DAY 6

NECK CUT BY ROPE

Dog male. 4 years old.

Neck cut by rope.

Previous treatment

None.

Vexoderm Gel+ treatment

The area is shaved, cleaned and debrided. Application of Vexoderm Gel+ every 12 h after deep cleaning with chlorhexidine. Wounds are not covered with any type of bandage. No secondary dressings are applied.



BEGINNING



WEEK 1



WEEK 2



WEEK 3



WEEK 4



WEEK 6

POST-SURGICAL WOUND

**Dog male. Andalusian Podenco.
2 years old.**

Traumatic injury.

Post-surgical suture.

Very mild infection.

Low exudation.

Exposed subcutaneous tissues.

Previous treatment

None.

Vexoderm Gel+ treatment

Vexoderm Gel+ application every
12 hours without covering.

Review after 5 and 10 days.



BEGINNING



WEEK 1



WEEK 2

PENIS NECROSIS

Dog male. 4 years old.

Paraplegic patient. Necrosis of unknown origin, possibly traumatic.

Previous treatment

Very deep cleaning with shaving of the entire affected area.

Vexoderm Gel+ treatment

Application of Vexoderm Gel+ several times a day after each urination.



BEGINNING



VISIT 2



VISIT 3



VISIT 4



VISIT 5



VISIT 6

ABRASION

Dog male. Spanish Water.

3 years old.

Abrasion on the paw pads due to possible contact with hot asphalt.

Previous treatment

None.

Vexoderm Gel+ treatment

Application of Vexoderm Gel+ by the owner once a day at night and covered for protection. After two days of treatment, the owner observes improvements in colour and touch.



BEGINNING



WEEK 1



WEEK 2

INFLAMMATORY REACTION

Dog female. 8 years old.

Inflammatory reaction that does not respond to usual treatment.

Previous treatment

Usual treatments.

Vexoderm Gel+ treatment

Application of Vexoderm Gel+ by the owner directly 2-3 times a day.

Covered to prevent licking.



BEGINNING



WEEK 2



WEEK 3