

CLINICAL EVIDENCE

VEXODERM GEL+



**SKIN AND WOUND CARE PRODUCTS
WITH ANTIOXIDANT AND REGENERATIVE
PROPERTIES**

WWW.VEXODERM.COM

BITE WOUND

Turtle. 4 years old.

Rat bite wound.

Previous treatment

None.

Vexoderm Gel+ treatment

Kept in terrarium with paper as substrate.

Warm baths in the morning and in the evening.

Vexoderm Gel+ every 12h after removal of necrotic tissue.

Dott.ssa Valentina Casu - DVM, MSc

Doria Valentina Veterinary Ambulatory.
Italy.



BEGINNING



WEEK 1



WEEK 2



WEEK 5



WEEK 6



WEEK 7

CLEAN CUT

Dog, female. 5 years old.

Clean cut by rubbing against a cutting surface.

Previous treatment

None.

Vexoderm Gel+ treatment

Treatment applied by the owner once a day. Covered to prevent licking.



BEGINNING



DAY 1



DAY 2



DAY 4



DAY 6



DAY 8

LEG WOUND

Dog.

Leg wound.

Previous treatment

None.

Vexoderm Gel+ treatment

Application of Vexoderm Gel+
every day.

**BEGINNING****DAY 2****DAY 3****DAY 4****DAY 5****DAY 6**

NECK CUT BY ROPE

Dog, male. 4 years old.

Neck cut by rope.

Previous treatment

None.

Vexoderm Gel+ treatment

The area is shaved, cleaned and debrided. Application of Vexoderm Gel+ every 12h after deep cleaning with chlorhexidine. Wounds are not covered with any type of bandage. No secondary dressings are applied.



BEGINNING



WEEK 1



WEEK 2



WEEK 3



WEEK 4



WEEK 6

POST-SURGICAL WOUND

**Dog, male. Andalusian Podenco.
2 years old.**

Traumatic injury. Post-surgical suture.
Very mild infection. Low exudation.
Exposed subcutaneous tissues.

Previous treatment

None.

Vexoderm Gel+ treatment

Vexoderm Gel+ application every
12 hours without covering.
Review after 5 and 10 days.



BEGINNING



WEEK 1



WEEK 2

PENIS NECROSIS

Dog, male. 4 years old.

Paraplegic patient. Necrosis of unknown origin, possibly traumatic.

Previous treatment

Very deep cleaning with shaving of the entire affected area.

Vexoderm Gel+ treatment

Application of Vexoderm Gel+ several times a day after each urination.

**BEGINNING****VISIT 2****VISIT 3****VISIT 4****VISIT 5****VISIT 6**

ABRASION

**Dog, male. Spanish Water Dog.
3 years old.**

Abrasion on the paw pads due to
possible contact with hot asphalt.

Previous treatment

None.

Vexoderm Gel+ treatment

Application of Vexoderm Gel+ by
the owner once a day at night and
covered for protection.

After two days of treatment, the
owner observes improvements in
colour and touch.



BEGINNING



WEEK 1



WEEK 2

INFLAMMATORY REACTION

Dog, female. 8 years old.

Inflammatory reaction that does not respond to usual treatment.

Previous treatment

Usual treatments.

Vexoderm Gel+ treatment

Application of Vexoderm Gel+ by the owner directly 2-3 times a day and covered to prevent licking.



BEGINNING



WEEK 2



WEEK 3

POST-SURGICAL WOUND

Dog. Catalan Sheepdog.

A nodule was removed and the dog took out the staple.

Previous treatment

Healing creams without positive results.

Vexoderm Gel+ treatment

From day one radical change in the wound was observed. The wound was quickly filled with granulation tissue and closed well.



BEGINNING



WEEK 2